

## N020

### DALDIRMA TİP NTC SENSÖR


Immerse Type Ntc Sensor

BAYMAK LUNA / MAIN / ECO  
DEMİRDÖKÜM HK - ALARKO SERENA  
IMMERGAS STAR/MINI - AUER MICRA  
TERMODİNAMİK - BAYKAN YILDIZ  
TERMOTEKNIK LOGIC

Isı Aralığı (Temperature Range) -20 / +125°C  
25°C de Direnc (Resistance on 25°C) - 10 kOhm

N020H N020B N020L

SICAKLIK Temperature °C	DIRENÇ Resistance Ohm.
0	32.65
10	19.90
20	12.49
30	8.06
40	5.32
50	3.60
60	2.49
70	1.75
80	1.25
90	0.92
100	0.68



## N022


### DALDIRMA TİP NTC SENSÖR

Immerse Type Ntc Sensor

DEMİRDÖKÜM ADEN / KALİSTO  
NEVA / NITRON / ATRON  
PROTHERM LYNX - MAKTEK

Isı Aralığı (Temperature Range) -20 / +125°C  
25°C de Direnc (Resistance on 25°C) - 10 kOhm

N020C N022L



## N023


### DALDIRMA TİP NTC SENSÖR

Immerse Type Ntc Sensor

ARISTON CLAS/GENUS/MATIS  
LAMBERT / FALKE AIRFEL

Isı Aralığı (Temperature Range) -20 / +125°C  
25°C de Direnc (Resistance on 25°C) - 10 kOhm

N023B N023L



## N025


### DALDIRMA TİP NTC SENSÖR

Immerse Type Ntc Sensor

ECA CALORA/CONFEO/PROTEUS  
ALARKO HARMONY/TRENDY  
PROTHERM LEOPARD

Isı Aralığı (Temperature Range) -20 / +125°C  
25°C de Direnc (Resistance on 25°C) - 10 kOhm

N025L N025C



## N008L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

FERROLİ DOMİNA

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N011L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

ARISTON MICROTEC / TX  
BAYKAN

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N024L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

ECA EUROSTAR  
BOSCH EUROMAXX

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N050L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

VAILLANT VCK / VUW / PRO

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N026L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

VISSMANN

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N030L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

VISSMANN

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N028L / N029L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

BUDERUS / BUDERUS GB122

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N201M

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

ECA / BOSCH  
BUDERUS LOGOMAX U 042/U 052

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N055L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

ALARKO WOLF

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## N057L

DALDIRMA TİP NTC SENSÖR  
Immerse Type Ntc Sensor

IMMERGAS

Isı Aralığı (Temperature Range) -20 /+125°C  
25°C de Direnç (Resistance on 25°C) - 10 kOhm



## NG34



### GEÇME TİP NTC SENSÖR

Clips Type Ntc Sensor

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Çap (Diameter)	1/2" - 3/4"
Isı Aralığı (Temperature Range)	-20 / +125°C
25°C de Direnç (Resistance on 25°C)	- 10 kOhm

NG34H



## NG40

### GEÇME TİP NTC SENSÖR

Clips Type Ntc Sensor

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Çap (Diameter)	1/2"
Isı Aralığı (Temperature Range)	-20 / +125°C
25°C de Direnç (Resistance on 25°C)	- 10 kOhm

NG40S SIEMENS



## NG41

### GEÇME TİP NTC SENSÖR

Clips Type Ntc Sensor

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Çap (Diameter)	3/4"
Isı Aralığı (Temperature Range)	-20 / +125°C
25°C de Direnç (Resistance on 25°C)	- 10 kOhm

NG41S SIEMENS



## NG60

### GEÇME TİP NTC SENSÖR

Clips Type Ntc Sensor

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Çap (Diameter)	1/2"
Isı Aralığı (Temperature Range)	-20 / +125°C
25°C de Direnç (Resistance on 25°C)	- 10 kOhm

NG60I



## NG65

### GEÇME TİP NTC SENSÖR

Clips Type Ntc Sensor

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Çap (Diameter)	3/4"
Isı Aralığı (Temperature Range)	-20 / +125°C
25°C de Direnç (Resistance on 25°C)	- 10 kOhm

NG65I



## NG61

### GEÇME TİP SOKETLİ NTC SENSÖR

Clips Type Ntc Sensor with Socket

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Çap (Diameter)	3/4"
Isı Aralığı (Temperature Range)	-20 / +125°C
25°C de Direnç (Resistance on 25°C)	- 10 kOhm

NG61I



## NG70

### GEÇME TİP İKİLİ NTC SENSÖR

Clips Type Double Ntc Sensor

FERROLİ DOMİPROJECT/DOMİCOMPACT

Çap (Diameter)	3/4"
Isı Aralığı (Temperature Range)	-20 / +125°C
25°C de Direnç (Resistance on 25°C)	- 10 kOhm

NG70I



## LT04Y-LT06Y

### AŞIRI ISI SENSÖRÜ

Overheat Thermostat

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

	LT04E	LT06Y
Kapatma Derecesi (Shut-off Temperature)	85°C ± 3	105°C ± 3



## LT10

### AŞIRI ISI SENSÖRÜ

Overheat Thermostat

BOSCH - ECA

	LT10Y
Kapatma Derecesi (Shut-off Temperature)	105°C ± 3



## ASO2C

**ŞALTER OKUYUCU**  
Flow Switch Reader

ALARKO SÜSLER  
AIRFEL



## ATO1C

**TÜRBİN OKUYUCU**  
Flow Meter Reader

ECA CALORA / CONFEO  
PROTEUS / PROTHERM



## AT02B

**TÜRBİN OKUYUCU**  
Flow Meter Reed Sensor

BAYMAK ECO 5  
LAMBERT / WESTEN



## ATO4C

**TÜRBİN OKUYUCU + KABLO**  
Flow Meter Reader with Cable

DEMİRDÖKÜM ADEN /  
KALİSTO / NEVA / ATRON



## AT05F

**TÜRBİN OKUYUCU**  
Flow Meter Reader


BAYMAK LUNA 3  
NOVADENS



## AT06B

**TÜRBİN OKUYUCU**  
Reed Sensor

ARISTON CLAS/GENUS/MATIS  
CHAFFOTEAUX MAURY  
ALIXIA / PIGMA



## AT07B

**TÜRBİN OKUYUCU**  
Reed Sensor

BAYMAK



## AT09B

**TÜRBİN OKUYUCU**  
Reed Sensor

BOSCH / BUDERUS



## TT01Y

### TAMİR TAKIMI Repair Kit

SACLI DİYAFRAM+YAYLI MİL UZUN  
Diaphragm with Springy Long Spindle

ALARKO TERMOCLASS  
WESTEN / AUER MICRA



## TT02Y

### TAMİR TAKIMI Repair Kit

MİL ÇİFT YAYLI  
Spindle with Double Spring

VAILLANT VCK



## TT03Y

### TAMİR TAKIMI Repair Kit

DEMİRDÖKÜM KALİSTO



## TT05Y

### TAMİR TAKIMI Repair Kit

SACLI DİYAFRAM+YAYLI MİL KISA  
Diaphragm with Springy Short Spindle

IMMERGAS MINI



## TT06Y

### TAMİR TAKIMI Repair Kit

KARTUŞ TAMİR TAKIMI  
Cartridge

IMMERGAS STAR 24 3 E / MINI



## TT07Y

### TAMİR TAKIMI Repair Kit

İKİLİ MİL TAKIMI  
Double Spindle Kit

BAYMAK LUNA  
BAXI




## TT08Y

### TAMİR TAKIMI Repair Kit

ÇİFT YAYLI MİL  
Double Spindle with Spring

SÜSLER 5101  
BAYKAN



## TT09Y

### TAMİR TAKIMI Repair Kit

PLASTİK KMP + YAYLI MİL  
Plastic Conn. Part +  
Spindle with Spring

DEMİRDÖKÜM ADEN



## TT10Y

### TAMİR TAKIMI Repair Kit

ÇİFT YAYLI MİL  
Double Spindle with Spring

ALARKO SERENA



## TT11Y

### TAMİR TAKIMI Repair Kit

MOTOR SUPPORT+YAYLI MİL  
Motor Support+Spindle with Spring

ARISTON UNO



## TT13H

### TAMİR TAKIMI Repair Kit

PİSTON TAMİR TAKIMI  
Piston Kit

BUDERUS / ALARKO



## TT13Y

### TAMİR TAKIMI Repair Kit

PLASTİK KMP + YAYLI MİL  
Plastic Conn. Part + Spindle  
With Spring

DEMİRDÖKÜM NEVA/ATRON



## TT14Y

### TAMİR TAKIMI Repair Kit

PİRİNÇ KMP + YAYLI MİL  
Brass Conn. Part + Spindle With Spring

BAYMAK ECO4  
BAXI LUNA 5



## TT15

### TAMİR TAKIMI Repair Kit

KARTUŞ TAMİR TAKIMI  
Cartridge

ARISTON CLAS / GENUS / MATIS  
CHAFFOTEAUX MAURY / AIRFEL  
WESTEN PULSAR / QUASAR

TT15B

TT15L



## TT16L

### TAMİR TAKIMI Repair Kit

PİRİNÇ KMP + YAYLI MİL  
Brass Conn. Part + Spindle With Spring

DEMİRDÖKÜM MILENYUM



## TT17H

### TAMİR TAKIMI Repair Kit

PİRİNÇ KMP + YAYLI MİL  
Brass Conn. Part + Spindle With Spring

BUDERUS GB022



## TT19Y

### TAMİR TAKIMI Repair Kit

PİRİNÇ KMP + YAYLI MİL +  
SABİTLEME SACI  
Brass Conn. Part + Spindle with Spring +  
Stabilization Plate

ECA CALORA / CONFEO / PROTEUS



## TT20Y

### TAMİR TAKIMI Repair Kit

PLASTİK KMP + YAYLI MİL  
Plastic Conn. Part +  
Spindle with Spring

BAYKAN



## TT24Y

### TAMİR TAKIMI Repair Kit

PİRİNÇ KMP + YAYLI MİL +  
SABİTLEME SACI  
Brass Conn. Part + Spindle with Spring +  
Stabilization Plate

AIRFEL / BAYMAK



## TT25Y

### TAMİR TAKIMI Repair Kit

PİRİNÇ + YAYLI MİL  
Brass + Spindle With Spring

BOSCH / VISSMANN



## AS10C

### AKIŞ ŞALTERİ

Flow Switch

ALARKO - SÜSLER - AIRFEL



PIRİNÇ GÖVDE (Brass Case)	MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	DEBİ (Flow Rate)
M 24 x 2 mm.	10 Bar	10 lt/min.



## AS

### AKIŞ ŞALTERİ

Flow Switch



	BAĞLANTI (Connection)	ÖZELLİK (Specification)	MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	AÇMA - KAPAMA BASINCI (Shut On-Off Pressure)	DEBİ (Flow Rate)	UYUM (Compatible)
AS20B / AS20H	2 x G 1 / 2 Erkek (Male)	Düz ( Straight )	12 Bar	2 - 12 Bar	10 lt/min.	ÇEŞİTLİ MARKA VE MODELLER VARIOUS BRANDS AND MODELS
AS21B / AS21H	2 x G 1 / 2 Erkek (Male)	Dold.Musluğu Bağlantılı (Filling Tap Connected)	12 Bar	2 - 12 Bar	10 lt/min.	ALARKO HARMONY BAYMAK MAIN IMMERGAS STAR KW
AS22B / AS22E	G 1 / 2 Erkek (Male) X G 1 / 2 Dişi (Female)	Rakorlu ( Bushed )	12 Bar	2 - 12 Bar	10 lt/min.	DEMİRDÖKÜM COMPACT ŞOFBEN

## AS23B

### AKIŞ ŞALTERİ Flow Switch

IMMERGAS MINI/  
STAR / STAR24 3 E

PLASTİK GÖYDE DİRSEKLI (Plastic Case with Elbo)	MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	AÇMA-KAPAMA BASINCI (Shut On-Off Pressure)	DEBİ (Flow Rate)
G 1/2"	12 Bar	2 - 12 Bar	10 lt/min.



## AS24L

### AKIŞ ŞALTERİ Flow Switch

BAYMAK

PİRİNÇ GÖYDE YAYLI (Brass Case with Spring)	MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	AÇMA-KAPAMA BASINCI (Shut On-Off Pressure)	DEBİ (Flow Rate)
M 27 İnce Diş (Fine Thread)	12 Bar	2 - 12 Bar	10 lt/min.



## AS31

AS31E AS31H

### AKIŞ ŞALTERİ Flow Switch

FERROLI DOMIPROJECT  
DOMICOMPACT

PLASTİK GÖYDE (Plastic Case)	MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	AÇMA-KAPAMA BASINCI (Shut On-Off Pressure)	DEBİ (Flow Rate)
G 1/2" Gas	12 Bar	2 - 12 Bar	10 lt/min.



## AS01E

### AKIŞ ŞALTERİ + DOLDURMA MUSLUĞU Flow Switch + Filling Tap

FERROLI DOMIPROJECT  
DOMICOMPACT

MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	AÇMA-KAPAMA BASINCI (Shut On-Off Pressure)	DEBİ (Flow Rate)
12 Bar	2 - 12 Bar	10 lt/min.



## AS51B

### AKIŞ ŞALTERİ Flow Switch

ARISTON UNO

MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	AÇMA-KAPAMA BASINCI (Shut On-Off Pressure)	DEBİ (Flow Rate)
10 Bar	2,4 - 1,2 Bar	10 lt/min.



## AS60Y

### AKIŞ ŞALTERİ+OKUYUCU Flow Switch+Reader

VISSMANN

MAX. ÇALIŞMA BASINCI (Working Pressure Max.)	AÇMA-KAPAMA BASINCI (Shut On-Off Pressure)	DEBİ (Flow Rate)
10 Bar	2,4 - 1,2 Bar	10 lt/min.





## AT10C

AKIŞ TÜRBİNİ  
Flow Meter



FERROLİ DOMİNA

## AT12

AKIŞ TÜRBİNİ  
Flow Meter



FERROLİ DIVATOP

## AT20

AKIŞ TÜRBİNİ  
Flow Meter



ECA / PROTHERM / BAYMAK

## AT30

AKIŞ TÜRBİNİ  
Flow Meter



ARISTON / AIRFEL

## AT40C

AKIŞ TÜRBİNİ  
Flow Meter



ADEN / KALİSTO  
BAYKAN / ARÇELİK  
BAYMAK / BEKO

## AT42E

AKIŞ TÜRBİNİ  
Flow Meter



D.DÖKÜM ŞOFBEN

## AT43

AKIŞ TÜRBİNİ  
Flow Meter



D.D. MİLENYUM  
VAILLANT TURBOTEC  
PROTHERM

## AT44E

AKIŞ TÜRBİNİ  
Flow Meter



FERROLİ

## AT45H

AKIŞ TÜRBİNİ  
Flow Meter

AIRFEL



## AT46H

AKIŞ TÜRBİNİ  
Flow Meter

TERMODİNAMİK



## AT48H

AKIŞ TÜRBİNİ  
Flow Meter

BAYMAK / VAILLANT



## AT50

AKIŞ TÜRBİNİ  
Flow Meter

VAILLANT



## AT60H

AKIŞ TÜRBİNİ  
Flow Meter

BOSCH / BUDERUS



## AT70

AKIŞ TÜRBİNİ  
Flow Meter

BAYMAK / LAMBERT  
DOLCEVITA / FALKE



## AT72B

AKIŞ TÜRBİNİ  
Flow Meter

BOSCH / BUDERUS



## TT60D

AKIŞ TÜRBİN  
YATAĞI  
Flow Meter Case

FERROLİ



## ATG1K

AKIŞ TÜRBİN GRUBU  
Flow Meter Group

ADEN



## ATG5D

AKIŞ TÜRBİN GRUBU  
Flow Meter Group

BAYMAK



### 3A01H

#### 3 YOLLU GRUP AKTİVATÖR MOTORU

Three Way Valve  
Actuator Motor

BUDERUS - BOSCH

YC 8010

VOLTAJ (Voltage) 24 V.



### 3A02H

#### AKTİVATÖR MOTORU

Actuator Motor

AUER TERME

YC 4012

VOLTAJ (Voltage) 220 V.



### 3A03H

#### AKTİVATÖR MOTORU

Actuator Motor

BUDERUS GB 022

M6410 C 2031

VOLTAJ (Voltage) 24 V.



### 3A04H

#### AKTİVATÖR MOTORU

Actuator Motor

BUDERUS GB 022

VJ2012 ZZ 12 B

VOLTAJ (Voltage) 12 V.



### 3M20S

#### STEP MOTOR + KİT

Stepper Motor + Kit

FERROLI  
VISSMANN VITOPEND

DİRENÇ (Resistance) 150 Ohm

VOLTAJ (Voltage) 24 V.



### 3M25S

#### STEP MOTOR + KİT

Stepper Motor + Kit

VISSMANN

DİRENÇ (Resistance) 150 Ohm

VOLTAJ (Voltage) 24 V.



### 3M40S

#### STEP MOTOR

Stepper Motor

DEMİRDÖKÜM  
KALİSTO / NITRON  
VAILLANT TURBOTEC

UCL 153

DİRENÇ (Resistance) 150 Ohm



### 3M45S

#### STEP MOTOR

Stepper Motor

BOSCH  
FERROLI



### 3M50

#### STEP MOTOR

Stepper Motor

VAILLANT VUV  
PRO 7 TURBOTEC

7217R029

DİRENÇ (Resistance) 150 Ohm



## SM

### ON-OFF STEP MOTOR

*On-Off Stepper Motor*

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

	VOLTAJ (Voltage)	STROK (Travel)	KORUMA (Protection)	ISI ARALIĞI (Temp. Range)
SM11E	220-240 V.	7,5 mm.	IP44	+2 - 70°C
SM13E	220-240 V.	7,5 mm.	IP44	+2 - 70°C
SM35E	24 V.	7,5 mm.	IP44	+2 - 70°C





## SM30E

### STEP MOTOR KART OKUYUCULU

*Stepper Motor  
With Board Reader*

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
BAYMAK - AIRFEL - ECA PROTEUS

VOLTAJ (Voltage)	STROK (Travel)	MAKSİMUM GÜÇ (Max. Force)
220 V.	9,5 mm.	75 N



## SM20C

STEP MOTOR  
Stepper Motor

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



## SM32E

STEP MOTOR  
Stepper Motor

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
BERETTA



## SM35S

BOSCH

VOLTAJ (Voltage) 24 V. DC



## SM36S

BUDERUS GB 032  
BUDERUS U 062  
VISSMANN

VOLTAJ (Voltage) 24 V. DC



## SM40A

STEP MOTOR  
Stepper Motor

Alco Controls

ALARKO YENİ SERENA

96032LA

VOLTAJ (Voltage) 230 V.

ISI ARALIĞI (Temp. Range) 1+88 °C



## DM01R

DOLDURMA MUSLUĐU  
Filling Tap

ALARKO HARMONY  
MAIN / FALKE / BAYMAK



## DM14Y

DOLDURMA MUSLUĐU  
Filling Tap

BOSCH SMILE



## DM05Y

DOLDURMA MUSLUĐU  
Filling Tap

DEMİRDÖKÜM  
NEVA / ATRON/NITRON



## DM15Y

DOLDURMA MUSLUĐU  
Filling Tap

ARISTON  
TX / MICROTECH / UNO



## DM07E

DOLDURMA MUSLUĐU  
Filling Tap

FERROLI  
DOMICOMPACT/DOMIPROJECT



## DM16Y

DOLDURMA MUSLUĐU  
Filling Tap

IMMERGAS GEÇME  
FAST CONNECTION



## DM10Y

DOLDURMA MUSLUĐU  
Filling Tap

DEMİRDÖKÜM ADEN KALISTO  
BAYKAN / BAYMAK



## DM17Y

DOLDURMA MUSLUĐU  
Filling Tap

AUER MICRA / AIRFEL



## DM11Y

DOLDURMA MUSLUĐU  
Filling Tap

VISSMANN VITOPEND B



## DM18Y

DOLDURMA MUSLUĐU  
Filling Tap

BAYMAK LUNA  
ECA CALORE / CONFEO / PROTEUS  
PROTHERM  
BAXI



## DM12Y

DOLDURMA MUSLUĐU  
Filling Tap

VISSMANN VITODENS



## DM19Y

DOLDURMA MUSLUĐU  
Filling Tap

ALARKO SERENA/TERMOCLASS  
SÜSLER



## DM21Y

### DOLDURMA MUSLUĞU

Filling Tap



VISSMANN VITOPEND D

## DM29P

### DOLDURMA MUSLUĞU

Filling Tap



BOSCH CLASSIC / COMFORT / SMART  
BUDERUS LOGOMAX U042/U052

## DM22Y

### DOLDURMA MUSLUĞU

Filling Tap



FERROLI DOMICOMPACT

## DM29Y

### DOLDURMA MUSLUĞU

Filling Tap



BOSCH CLASSIC / COMFORT / SMART  
BUDERUS LOGOMAX U042/U052

## DM23

### DOLDURMA MUSLUĞU

Filling Tap



ARISTON EGIS / CLAS / GENUS  
CHAFFOTEAUX MAURY ALIXIA  
BAYMAK ECO / AIRFEL  
LAMBERT / DOLCEVITA

DM23B

DM23Y

## DM30Y

### DOLDURMA MUSLUĞU

Filling Tap



BOSCH EUROSART

## DM25Y

### DOLDURMA MUSLUĞU

Filling Tap



D.DÖKÜM MILLENIUM / VINTO

## DM33Y

### DOLDURMA MUSLUĞU

Filling Tap




AIRFEL

## DM27T

### DOLDURMA MUSLUĞU

Filling Tap



VAILLANT VUV / PRO

## DM35Y

### DOLDURMA MUSLUĞU

Filling Tap



AIRFEL BİTERMİK

## DM27Y

### DOLDURMA MUSLUĞU

Filling Tap



VAILLANT TURBOTEC

## DM36Y

### DOLDURMA MUSLUĞU

Filling Tap



DEMİRDÖKÜM ATRON

## 3E01P

### 3 BAR EMNİYET VENTİLİ İÇ TAKIMI 3 Bar Safety Valve Kit

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
D.DÖKÜM KALİSTO - NEVA



BAĞLANTI (Connection)	Plastik (Plastic)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V01

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



BAĞLANTI (Connection)	Dis Dışı 1/2" (External Threaded)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V03

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

DEMİRDÖKÜM ADEN



BAĞLANTI (Connection)	Dis Dışı 1/2" (External Threaded)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V04

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



BAĞLANTI (Connection)	Geçme 1/2" (Quick Coupling)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V06T

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

VAILLANT VUW / PRO  
TURBOTEC



BAĞLANTI (Connection)	Klips Geçme (Coupling with clip)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V07T

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

BUDERUS DELTA



BAĞLANTI (Connection)	Dis Dışı (External Threaded) 1/2" Gözleme Bağlantılı (Gauge Connected)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V08T

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

ARISTON TX - MICROTEC



BAĞLANTI (Connection)	Dis Dışı (External Threaded) 1/2" Gözleme Bağlantılı (Gauge Connected)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V09T

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

BOSCH / BUDERUS LOGAMAX



BAĞLANTI (Connection)	Geçme 1/2" (Quick Coupling)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar



## 3V10

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



3V10T 3V10K

BAĞLANTI (Connection)	İç Dişi 1/2" (Internal Threaded)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V11

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

FERROLİ



3V11T 3V11K

BAĞLANTI (Connection)	Dişi Geşme (Threaded+Quick Coupling)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V12T

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

DEMİRDÖKÜM MİLENYUM - VİNTO



BAĞLANTI (Connection)	Özel Geşme (Special Quick Coupling)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V12C

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

PROTHERM / FERROLİ



BAĞLANTI (Connection)	Özel Geşme (Special Quick Coupling)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V14H

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



BAĞLANTI (Connection)	Geşme Direktli 1/2" (Quick Coupling with Elbow) Plastik (Plastic)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V14W

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

ARISTON EGİS / CLAS/ MATİS  
BAYMAK / AIRFEL  
CHAFFOTEAUX MAURY



BAĞLANTI (Connection)	Özel Geşme (Special Quick Coupling) Plastik (Plastic)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V18W

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

BOSCH



BAĞLANTI (Connection)	Geşme 1/2" (Quick Coupling) Plastik (Plastic)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V20C

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

BOSCH



BAĞLANTI (Connection)	Geşme 1/2" (Quick Coupling) Plastik (Plastic)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar

## 3V21C

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

BOSCH - BUDERUS  
VIESSMANN

BAĞLANTI (Connection)	Özel Geçme (Special Quick Coupling)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar



## 3V22C

### 3 BAR EMNİYET VENTİLİ 3 Bar Safety Valve

IMMERGAS

BAĞLANTI (Connection)	Özel Geçme (Special Quick Coupling)
ISI ARALIĞI (Temperature Range)	-20 / +125°C
TEST BASINCI (Test Pressure)	10 Bar



## HAVA PURJÖRLERİ / AIR RELIEF PURGERS

## HP

### HAVA PURJÖRÜ Air Relief Purger

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

BAĞLANTI (Connection)	G 1/2 "	G 3/8 "	G 1/2 "	G 3/8 "
ISI ARALIĞI (Temperature Range)	-20 + 125°C	-20 + 125°C	-20 + 125°C	-20 + 125°C
ÇALIŞMA BASINCI (Working Pressure)	10 Bar	10 Bar	10 Bar	10 Bar

HP01T	HP02T	HP06K	HP05K
G 1/2 "	G 3/8 "	G 1/2 "	G 3/8 "
-20 + 125°C	-20 + 125°C	-20 + 125°C	-20 + 125°C
10 Bar	10 Bar	10 Bar	10 Bar




## HPT1T

### HAVA PURJÖR İÇ TAKIMI Air Relief Purger Kit

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Isı Aralığı (Temperature Range)	-20 / +125°C
Çalışma Basıncı (Working Pressure)	10 Bar



## HPP1W

### POMPA HAVA PURJÖR PLASTİĞİ Air Relief Purger Kit For Pump

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

Isı Aralığı (Temperature Range)	-20 / +125°C
Çalışma Basıncı (Working Pressure)	10 Bar



## DİYAFRAM VE BAĞLANTI PARÇALARI / DIAPHRAGMS AND FIXING PARTS

## DC01L

### DİYAFRAM CONTASI Diaphragm

BAYMAK LUNA  
BAXI



## DC02L

### DİYAFRAM CONTASI Diaphragm

ALARKO  
SÜSLER



## DC03L

### DİYAFRAM CONTASI Diaphragm

VAILLANT VCK



## DC09L

### DİYAFRAM CONTASI Diaphragm

ECA EUROSTAR  
D.DÖKÜM



## DC10L

### DİYAFRAM CONTASI Diaphragm

BAYMAK  
SUPERMATİK



## DC15L

### DİYAFRAM CONTASI Diaphragm

ALARKO / WESTEN  
AUER / IMMERGAS



### 3G60B

3 YOLLU VANA +  
STEP MOTOR  
*Three Way Group +  
Stepper Motor*

BOSCH / BUDERUS



### 3G61V

3 YOLLU VANA +  
STEP MOTOR  
*Three Way Group +  
Stepper Motor*

VAILLANT TURBOTEC



### 3G79Y

3 YOLLU  
VANA GÖVDESİ  
*Three Way Group  
Body Plastic*

BOSCH / BUDERUS 8 716 771 630



### 3G80Y

3 YOLLU  
VANA GÖVDESİ  
*Three Way Group  
Body Plastic*


BOSCH 8 716 011 819



### 3G--G

MEKANİK 3 YOLLU VANA  
*Three Way Valve Mechanic*

3G10G ALARKO  
3G11G WESTEN  
3G12G SUPERMATIK



### 3G71K

3 YOLLU  
VANA GÖVDESİ  
*Three Way Group Body*

BUDERUS GB22



### 3G39P

3 YOLLU  
VANA GÖVDESİ  
*Three Way Group Body*

ECA PREMIX



### 3G40F

3 YOLLU VANA +  
STEP MOTOR  
*Three Way Group +  
Stepper Motor*

DEMİRDÖKÜM KALİSTO



### 3G69E

3 YOLLU VANA -  
AKIŞ ŞALTERİ  
*Three Way Group-  
Flow Switch*

ECA EUROSTAR



### 3G70E

3 YOLLU VANA  
*Three Way Group*

DEMİRDÖKÜM HK



### VG03A

3 YOLLU  
VANA GÖVDESİ  
*Three Way Group Body*

VAILLANT VUV - PRO



### VG61A

3 YOLLU  
VANA GÖVDESİ  
*Three Way Group Body*

VAILLANT TURBOTEC



## TKMP1

### KMP ARA BAĞLANTI PARÇASI

Connection Part

PIRİNÇ  
Brass

BAYMAK LUNA  
BAXI ALARKO



## TKMP2

### KMP ARA BAĞLANTI PARÇASI

Connection Part

PIRİNÇ SEGMANLI  
Brass

ÇEŞİTLİ MARKALAR  
VARIOUS MODELS



## TKMP6

### KMP ARA BAĞLANTI PARÇASI

Connection Part

PLASTİK UZUN  
Plastic Long

D.DÖKÜM ADEN/NEVA  
IMMERGAS



## TT40V

### BAĞLANTI PARÇASI

Fixing Part

PLASTİK  
Plastic

TURBOTEC



## TT50D

### BAĞLANTI PARÇASI

Fixing Part

DEMİRDÖKÜM ISOFAST



## BPA2Y

### BY-PASS APARATI

Apparatus for By-pass

PIRİNÇ  
Brass

DEMİRDÖKÜM MİLENYUM



## BP01Y

### BY-PASS

By-pass

VAILLANT VCK



## BP02Y

### BY-PASS

By-pass

BAYMAK LUNA  
BAXI



## TBTV1

### BAĞLANTI SOMONU

Connection Nut

VAILLANT VCK



## TKV01

### KLİPS

Clip

VAILLANT VCK



## TTV1L

### VENTÜRİ

Venturi

VAILLANT VCK



## SW05Y

### DEVEBOYNU SIVIÇ

Switch

VAILLANT VCK



## AB01C

### BASINÇ SONDASI Pressure Switches

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temperature)	TEST BASINCI (Test Pressure)
Klips Geçme 1/4" (Coupling with clip)	+90°C	0,2-6 Bar



## ABT02

### TRANDUCER Transducer

FERROLI - ARISTON CLAS / GENUS

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temperature)	TEST BASINCI (Test Pressure)
Klips Geçme 1/4" (Coupling with clip)	+90°C	0,4-6 Bar



## AB02C

### BASINÇ SONDASI Pressure Switches

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temperature)	TEST BASINCI (Test Pressure)
Düdü G 1/4"	+90°C	0,2-6 Bar



## ABT

### TRANDUCER Transducer

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temp.)	ÇALIŞMA BASINCI (Operating Pressure)	
ABT03 G 1/4"	+90°C	0,2-6 Bar	FERROLI/ECONCEPT
ABT06 G 1/4"	+90°C	0,2-6 Bar	ALARKO/ATAQ
ABT44 Fast 1/4"	+90°C	0,2-6 Bar	



## AB03H

### BASINÇ SONDASI Pressure Switches

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temperature)	TEST BASINCI (Test Pressure)
Düdü G 1/4"	+90°C	0,15-6 Bar



## ABT

### TRANDUCER Transducer

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temp.)	ÇALIŞMA BASINCI (Operating Pressure)
ABT07 Fast 1/4"	+90°C	4 Bar
ABT08 G 1/4"	+90°C	4 Bar
ABT19 Universal	+90°C	4 Bar



## AB04G-AB05G

### BASINÇ SONDASI Pressure Switches

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temperature)	TEST BASINCI (Test Pressure)
Düdü G 1/4"	+90°C	0,2-4 Bar



## ABT

### TRANDUCER Transducer

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temp.)	ÇALIŞMA BASINCI (Operating Pressure)
ABT10 Fast 1/4"	+90°C	4 Bar
ABT11 G 1/4"	+90°C	4 Bar
ABT29 Universal	+90°C	4 Bar



## AB06H-AB07H

### BASINÇ SONDASI Pressure Switches

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temperature)	TEST BASINCI (Test Pressure)
Klips Geçme 1/4" (Coupling with clip)	+90°C	0,2-4 Bar



## ABT09

### TRANDUCER Transducer

DEMİRDÖKÜM NEVA  
PROTHERM LYNX

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temp.)	ÇALIŞMA BASINCI (Op. Pressure)
Klips Geçme 1/4" (Coupling with clip)	+90°C	0,4-5 Bar



## AB

### BASINÇ SONDASI Pressure Switches

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

BAGLANTI (Connection)	SICAKLIK (Temperature)	ÇALIŞMA BASINCI (Operating Pressure)
AB12M G 1/4"	+90°C	0,2-6 Bar
AB13M G 1/8"	+90°C	0,2-6 Bar



## ABT44

MARQUARDT

### TRANDUCER Transducer

DEMİRDÖKÜM MILENYUM ISOFAST  
PROTHERM / VAILLANT

BAGLANTI (Connection)	MAKS. SICAKLIK (Max. Temp.)	ÇALIŞMA BASINCI (Op. Pressure)
Klips Geçme 1/4" (Coupling with clip)	+90°C	0,4-5 Bar



## ATEŞLEME TRAFOLARI / IGNITERS

### ATF ATEŞLEME TRAFOLARI (Gaz Valfleri Uyumlu) Gas Igniters (Available For Gas Valves)

	ISI ARALIĞI (Temp. Range)	VOLTAJ (Supply Voltage)	ATEŞLEME FREKANS ARALIĞI (Spark Rate)	GÜÇ (Power)	GAZ VALFİ (Gas Valve)
<b>ATF4A</b>	-20 / +100 C	220 V	15 - 35 Hz.	1,5 VA	
<b>ATF5A</b>	-20 / +100 C	220 V	15 - 35 Hz.	1,5 VA	



### ATF6H

#### ATEŞLEME TRAFOSU Igniter



ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
BAYMAK - SANICA

ISI ARALIĞI (Temp. Range)	VOLTAJ (Supply Voltage)	ATEŞLEME FREKANS ARALIĞI (Spark Rate)	GÜÇ (Power)
-20 / +90 C	230 V	15 - 35 Hz.	1,2 VA

### ATF7E

#### ATEŞLEME TRAFOSU Igniter



DEMİRDÖKÜM NEVA  
PROTHERM

ISI ARALIĞI (Temp. Range)	VOLTAJ (Supply Voltage)	ATEŞLEME FREKANS ARALIĞI (Spark Rate)	GÜÇ (Power)
-20 / +120 C	230 V	15 - 35 Hz.	0,6 VA

### ATF8A

#### ATEŞLEME TRAFOSU Igniter



ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

ISI ARALIĞI (Temp. Range)	VOLTAJ (Supply Voltage)	ATEŞLEME FREKANS ARALIĞI (Spark Rate)	GÜÇ (Power)
-20 / +70 C	230 V	15 - 35 Hz.	5 VA

## ATEŞLEME KARTLARI / IGNITION MODULATING CARDS

### ATK1S

#### ATEŞLEME KARTI Ignition Modulating Card



ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

SIT ABC 537

### ATK2H

#### ATEŞLEME KARTI Ignition Modulating Card



ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
PROTHERM

HONEYWELL S4565 CM 1047

### ATK3H

#### ATEŞLEME KARTI Ignition Modulating Card



ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

HONEYWELL S4565 CF 1052

### ATK4H

#### ATEŞLEME KARTI Ignition Modulating Card



ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
ALARKO

HONEYWELL S4565 A 2019

## ELEKTRODLAR / ELECTRODS

### EL01Y

#### ATEŞLEME ELEKTRODU Ignition Electrode

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



### EL02Y

#### İYONİZASYON ELEKTRODU Ionization Electrode

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



## DU29Y

DÜĞME  
Knob

ECA PROTEUS



## DU37Y

DÜĞME  
Knob

BOSCH BUDERUS



## DU30Y

DÜĞME  
Knob

BOSCH CLASSIC PLUS



## DU38Y

DÜĞME  
Knob

ECA PREMIX



## DU35Y

DÜĞME  
Knob

BAYMAK FALKE  
LAMBERT



## DU39Y

DÜĞME  
Knob

PROTHERM LYNX



## DU36Y

DÜĞME  
Knob

BOSCH BUDERUS



## DU40Y

DÜĞME  
Knob

BUDERUS U 02



## SIVIÇLER / SWITCHES

### SW04Y

MİKROSIVIÇ  
Microswitch

VAILLANT VCK



### SW08Y

İKİLİ MICROSVIÇ  
Double Microswitch

ALARKO / SÜSLER / BAYKAN  
BUDERUS / AIRFEL



### SW07Y

MEKANİK SAÇLI SIVIÇ  
Switch With Plated

BAYMAK / LUNA / BAXI



### SW10Y

ÜÇLÜ MICROSVIÇ  
Triple Microswitch

BAYMAK IDEE




## ARAYÜZ KARTLARI / INTERFACE BOARDS

### AYK1L

ARAYÜZ KARTI  
Interface Board


DEMİRDÖKÜM ADEN



### AYK2L

ARAYÜZ KARTI  
Interface Board

DEMİRDÖKÜM KALISTO



## DU04Y

DÜĞME  
Knob

BAXI ECO



## DU17Y

DÜĞME  
Knob

ECA - BOSCH



## DU08Y

DÜĞME  
Knob

VAILLANT VUW



## DU20Y

DÜĞME  
Knob

AIRFEL ECOFEL



## DU10Y

DÜĞME  
Knob

VAILLANT VUW



## DU24Y

DÜĞME  
Knob

BOSCH SMILE



## DU11Y

DÜĞME  
Knob

BAYMAK MAIN ECO



## DU25Y

DÜĞME  
Knob

BOSCH SMART



## DU12Y

DÜĞME  
Knob

BAYMAK MAIN



## DU26Y

DÜĞME  
Knob

VAILLANT PRO



## DU13Y

DÜĞME  
Knob

ECA CALORA



## DU27Y

DÜĞME  
Knob

AIRFEL DIGIFEL



## DU14Y

DÜĞME  
Knob

ECA CONFEO



## DU28Y

DÜĞME  
Knob

VAILLANT TURBOTEC





## P06HD - P09HD

### PROSESTAT

Air Differential Pressure Switch

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



	MALZEME (Material)	AÇMA BASINCI (Start up Pressure)	ISI ARALIĞI (Temperature Range)	BAĞLANTI BORUSU (Connection Tube)	DIYAFRAM (Diaphragm)
P05HD	Çinko Kaplı Metal (Zinc coated Metal Sheet)	0,6 mBar - 60 Pa	-20 / +90 °C	Ø 6.35 mm	Silicon
P06HD	Çinko Kaplı Metal (Zinc coated Metal Sheet)	0,9 mBar - 90 Pa	-20 / +90 °C	Ø 6.35 mm	Silicon

## P25HC

### PROSESTAT

Air Differential Pressure Switch

DEMİRDÖKÜM NITRON  
FERROLİ DİVATOP  
VIESSMANN




	MALZEME (Material)	AÇMA BASINCI (Start up Pressure)	ISI ARALIĞI (Temperature Range)	BAĞLANTI BORUSU (Connection Tube)	DIYAFRAM (Diaphragm)
P25HC	Plastik PC Gövde (Plastic PC Case) Seramik Sensör (Ceramic Sensor)	25 Pa - 0,25 mBar	-20 / +90 °C	Ø 6.35 mm	Likit Silikon (Liquid Silicon)

## P26HC - P37HC - P36HC / P36HD - P72HC P50HC - P71HC - P70HD / P70HC

### PROSESTAT

Air Differential Pressure Switch



	MALZEME (Material)	AÇMA BASINCI (Start up Pressure)	ISI ARALIĞI (Temperature Range)	BAĞLANTI BORUSU (Connection Tube)	DİYAFRAM (Diaphragm)	DİYAFRAM (Diaphragm)	MARKALAR (Brands)
P26HC	Plastik PC Gövde (Plastic PC Case)	26-18	-20 / + 90 C	Ø 6.35 mm	Silicon	BOSCH BUDERUS	
P37HC	Plastik PC Gövde (Plastic PC Case)	40-25	-20 / + 90 C	Ø 6.35 mm	Silicon	DEMİRDÖKÜM NEVA	
P36HC/P36HD	Plastik PC Gövde (Plastic PC Case)	44-36	-20 / + 90 C	Ø 6.35 mm	Silicon	ÇEŞİTLİ ( Various )	
P72HC	Plastik PC Gövde (Plastic PC Case)	50-34	-20 / + 90 C	Ø 6.35 mm	Silicon	ÇEŞİTLİ ( Various )	
P50HC	Plastik PC Gövde (Plastic PC Case)	65-50	-20 / + 90 C	Ø 6.35 mm	Silicon	ÇEŞİTLİ ( Various )	
P71HC	Plastik PC Gövde (Plastic PC Case)	85-65	-20 / + 90 C	Ø 6.35 mm	Silicon	ÇEŞİTLİ ( Various )	
P70HD/P70HC	Plastik PC Gövde (Plastic PC Case)	85-70	-20 / + 90 C	Ø 6.35 mm	Silicon	ADEN-CALORA	

## PCB 01 01

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

DEMİRDÖKÜM ADEN



## PCB 02 02

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

ECO 4



## PCB 01 02

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

DEMİRDÖKÜM KALISTO



## PCB 02 05

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

ECO 5



## PCB 01 07

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

DEMİRDÖKÜM ATRON



## PCB 02 14

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

LUNA 5



## PCB 01 11

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

DEMİRDÖKÜM NEVA



## PCB 04 16

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

ECA CONFEO PLUS




## PCB 01 12

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

DEMİRDÖKÜM NEPTO



## PCB 04 17

### ELEKTRONİK DEVRE KARTI

Printed Circuit Board

ECA PROTEUS PLUS



### PCB 04 03

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

ECA CALORA / CONFEO / PROTEUS



### PCB 06 02

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

VAILLANT TURBOTEC



### PCB 03 02

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

ARISTON EGIS



### PCB 18 01

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

PROTHERM LYNX



### PCB 08 02

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

FERROLİ DOMIPROJECT



### PCB 05 05

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

BOSCH SMART



### PCB 09 02

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

IMMERGAS STAR 24 3 E



### PCB 07 04

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

BUDERUS U 052



### PCB

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

AIRFEL ECOFEL



### PCB 23 01

#### ELEKTRONİK DEVRE KARTI

*Printed Circuit Board*

VISSMANN WH1 D



## VG17B

AKIŞ GRUBU  
Flow Group

ARISTON EGİS



## VG18B

AKIŞ GRUBU  
Flow Group

ARISTON CLAS - GENUS - MATİS



## VG19B

DÖNÜŞ GRUBU  
Return Group

ARISTON EGİS - CLAS -  
GENUS - MATİS



## ARB01

ARA BAĞ. PARÇASI  
Connection Part

ARISTON



## VG74B

3 YOLLU SAĞ BLOK  
Three Way Right Block

LAMBERT  
ARÇELİK



## VG75B

3 YOLLU SOL BLOK  
Three Way Left Block


LAMBERT  
ARÇELİK



## 3G77B

MOTORLU 3 YOLLU GRUP  
Three Way Group  
With Step Motor

BOSCH CERASTAR



## 3G83Y

3 YOLLU GRUP  
Three Way Group

DEMİRDÖKÜM NEVA



## VG72A

3 YOLLU  
VANA GÖVDESİ  
Three Way Group  
Body Plastic

DEMİRDÖKÜM MİLENYUM  
VINTO



## VG73A

3 YOLLU  
VANA GÖVDESİ  
Three Way Group  
Body Plastic

PROTHERM LYNX



## MM01C

### MANOMETRE Manometer

DEMİRDÖKÜM ADEN  
KALİSTO / ATRON

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Dişi (Threaded)



## MM13C

### MANOMETRE Manometer

IMMERGAS

ÇAP (Diameter) 37 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM07C

### MANOMETRE Manometer

FERROLİ

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM14C

### MANOMETRE Manometer

BAYKAN  
MAKTEK

ÇAP (Diameter) 37 mm.  
BAĞLANTI (Connection) Dişi (Threaded)



## MM08C

### MANOMETRE Manometer

ALARKO / SERENA

ÇAP (Diameter) 25,4 mm.  
BAĞLANTI (Connection) Dişi (Threaded) G. 1/4"



## MM15C

### MANOMETRE Manometer

VISSMANN  
BUDERUS / BOSCH

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM09C

### MANOMETRE Manometer

BUDERUS / BOSCH

ÇAP (Diameter) 25,4 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM16C

### MANOMETRE Manometer

VAILLANT VUV

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM10P

### MANOMETRE Manometer

BUDERUS DELTA

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM20C

### MANOMETRE Manometer

ECA CALORA / CONFEO  
ARISTON TX MICROTEC

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM12C

### MANOMETRE Manometer

FERROLİ / ARISTON

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) İnce Dişi (Fine Threaded)



## MM21C

### MANOMETRE Manometer

ARISTON EGIS -CLAS -  
GENUS - MATIS

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM24S

MANOMETRE  
Manometer

BOSCH / BUDERUS

ÇAP (Diameter) 25,4 mm.  
BAĞLANTI (Connection) Disli (Threaded) G 1/8"



## MM27P

MANOMETRE  
Manometer

BAYMAK IDEE

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Disli (Threaded) G 1/8"



## MM25P

MANOMETRE  
Manometer

BUDERUS GB22  
BUDERUS GB12

ÇAP (Diameter) 25,4 mm.  
BAĞLANTI (Connection) Disli (Threaded) G 1/8"



## MM28P

MANOMETRE  
Manometer

BAXI

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) İç Disli (Inlet Threaded)



## MM26S

MANOMETRE  
Manometer

VISSMANN / BOSCH / BUDERUS

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## MM29P

MANOMETRE  
Manometer

FALKE

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## TERMOMANOMETRELER / THERMOMANOMETERS

## TM01C

TERMOMANOMETRE  
Thermomanometer

BAXI  
WESTEN

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) İç Disli (Inlet Threaded)



## TM06C

TERMOMANOMETRE  
Thermomanometer

ECA CALORA / CONFEO  
ARISTON TX MICROTEC

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## TM04C

TERMOMANOMETRE  
Thermomanometer

VAILLANT VUW

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## TM12P

TERMOMANOMETRE  
Thermomanometer

VISSMANN

ÇAP (Diameter) 40 mm.  
BAĞLANTI (Connection) Geçme (Plug-in)



## GV05H

### GAZ VALFİ VK4105G Gas Valve VK4105G

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
BAYMAK LUNA



ISI ARALIĞI  
(Temperature Range)

-15 / +60 C

GAZ BASINÇ AYAR ARALIĞI  
(Gas Pressure Adjustable Range)

1,5 - 32 mBar

BOBİN VOLTAJI  
(Voltage for Coil)

220 V

## GV

### GAZ VALFİ VK4105M Gas Valve VK4105M

VK4105M Servo-Motorlu ve Modülasyonlu  
(Ignition Modulated with servo pressure regulation)

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
AIRFEL / SÜSLER / SANİCA



ISI ARALIĞI  
(Temperature Range)

-15 / +60 C

GAZ BASINÇ AYAR ARALIĞI  
(Gas Pressure Adjustable Range)

1,5 - 32 mBar

BOBİN VOLTAJI  
(Voltage for Coil)

220 V

MODÜLASYON BOBİN RENGİ  
(Color of Mod. Bobine)

Beyaz (White)

MODÜLASYON VOLTAJI MAKS.  
(Modulation Voltage Max.)

15 V. DC

BAĞLANTI  
(Connection)

Dişi (Female)

GV10H

-15 / +60 C

1,5 - 32 mBar

220 V

Sarı (Yellow)

12 V. DC

G 3 / 4 "

GV48H

-15 / +60 C

1,5 - 32 mBar

220 V

Beyaz (White)

15 V. DC

G 3 / 4 "

GV11H

-15 / +60 C

1,5 - 32 mBar

220 V

Sarı (Yellow)

12 V. DC

Dişi (Female)

GV49H

-15 / +60 C

1,5 - 32 mBar

220 V

## GV12H

### GAZ VALFİ VK4105A Gas Valve VK4105A

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



ISI ARALIĞI  
(Temperature Range)

-15 / +60 C

GAZ BASINÇ AYAR ARALIĞI  
(Gas Pressure Adjustable Range)

1,5 - 32 mBar

BOBİN VOLTAJI  
(Voltage for Coil)

220 V




## GV08H

### GAZ VALFİ VK4105G Gas Valve VK4105G

VK4105G Modülasyonlu 2 x G 3/4"  
(Ignition Modulated)

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



ISI ARALIĞI (Temperature Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjustable Range)	BOBİN VOLTAJI (Voltage for Coil)
-15 / + 60 C	1,5 - 32 mBar	22 V. DC

## GV15H

### GAZ VALFİ VK8525M Gas Valve VK8525M

VK8525 M Stepmotorlu Modülasyonlu  
(Ignition Modulated with Stepper Motor)

DEMİRDÖKÜM MİLENYUM  
PROTERM LEOPARD




ISI ARALIĞI (Temperature Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjustable Range)	BOBİN VOLTAJI (Voltage for Coil)
-15 / + 60 C	1,5 - 32 mBar	22 V. DC

## GV17H

### GAZ VALFİ VK8515MR Gas Valve VK8515MR

VK8515 MR 1522 Modülasyonlu ve  
Basınç Regülasyonlu  
(Modulated with Pressure Regulated)

VAILLANT TURBOTEC



ISI ARALIĞI (Temperature Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjustable Range)	BOBİN VOLTAJI (Voltage for Coil)
-15 / + 60 C	1,5 - 32 mBar	220 V

**GV****GAZ VALFİ 845 SIGMA**  
Gas Valve 845 SIGMAVK4105G Modülasyonlu 2 x G 3/4"  
(Ignition Modulated)ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS

	ISI ARALIĞI (Temperature Range)	MAKSİMUM BASINÇ (Max. Gas Pressure)	BOBİN VOLTAJI (Voltage for Coil)	MODÜLASYON BOBİN RENGİ (Color of Mod. Bobine)	MODÜLASYON VOLTAJI MAKS. (Modulation Voltage Max.)	BAĞLANTI (Connection)	
<b>GV21S</b>	-10 / +60 C	1,5 - 32 mBar	220 V	Mavi ( Blue)	17 V. DC	G 3 / 4 "	ADEN-KALİSTO ARISTON - ECA
<b>GV22S</b>	-10 / +60 C	1,5 - 32 mBar	220 V	Beyaz ( White)	9 V. DC	G 3 / 4 "	SÜSLER
<b>GV23S</b>	-10 / +60 C	1,5 - 32 mBar	220 V	Beyaz ( White)	9 V. DC	Flanşlı ( Flanged)	BAXI
<b>GV24S</b>	-10 / +60 C	1,5 - 32 mBar	24 V. DC	Beyaz ( White)	9 V. DC	Dişi ( Female)	D.DÖKÜM HK 223
<b>GV26S</b>	-10 / +60 C	1,5 - 32 mBar	24 V. DC	Mavi ( Blue)	17 V. DC	G 3 / 4 "	BUDERUS GB062

## GV08H

### GAZ VALFİ 848 SIGMA Gas Valve 848 SIGMA

848 SIGMA Çift Valfli  
(Two Shut-off Valves)

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS




	ISI ARALIĞI (Temperature Range)	MAKSİMUM BASINÇ (Max. Gas Pressure)	BOBİN VOLTAJI (Voltage for Coil)	BAĞLANTI (Connection)
GV25S	-10 / + 60 C	1,5 - 32 mBar	220 V	G 3 / 4"
GV29S	-10 / + 60 C	1,5 - 32 mBar	24 V. DC	G 3 / 4" Giriş (inlet) Dik Çıkış (90 outlet)

## GVB

### GAZ VALFİ BOBİNİ Coil for Gas Valve

GV25S	24 V.
GV29S	220 V.



## GVB1H

### GAZ VALFİ BOBİNİ Coil for Gas Valve

GV25S	220 V.
-------	--------



## GV40S

### GAZ VALFİ G. CARTIER Gas Valve G. CARTIER

Stepmotorlu Modülasyonlu  
(Ignition Modulated with Stepper Motor)

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS  
DEMİRDÖKÜM NEVA / PROTHERM



ISI ARALIĞI (Temperature Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjustable Range)	BOBİN VOLTAJI (Voltage for Coil)
-15 / + 80 C	1,5 - 32 mBar	24 V

## GV

### GAZ VALFİ VGU

Gas Valve VGU

VGU 54- VGU 56 Çift Bobinli Modülasyonlu  
(Modulated with double coil)

#### ÇEŞİTLİ MARKA VE MODELLER

VARIOUS BRANDS AND MODELS

FERROLI / IMMERGAS

	ISI ARALIĞI (Temp. Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjust. Range)	BOBİN VOLTAJI (Voltage for Coil)	BAĞLANTI (Connection)	UYUM (Compatible)
GV30S	-20 / + 60 C	1,5 - 37 mBar	13.2 V. DC	G 1 / 2 "	FERROLI
GV31S	-20 / + 60 C	1,5 - 37 mBar	13.2 V. DC	G 3 / 4 "	IMMERGAS



## GV41S

### GAZ VALFİ CARTIER

Gas Valve CARTIER

Stepmotorlu Modülasyonlu  
(Ignition Modulated with Stepper Motor)

ALARKO MINEA

ISI ARALIĞI (Temp. Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjust. Range)	BOBİN VOLTAJI (Voltage for Coil)
-15 / + 80 C	1,5 - 50 mBar	24 V. DC



## GV51E


### GAZ VALFİ CARTIER

Gas Valve CARTIER

Modülasyonlu  
(Ignition Modulated)

BAYMAK / BOSCH  
VIESSMANN

ISI ARALIĞI (Temp. Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjust. Range)	BOBİN VOLTAJI (Voltage for Coil)
0 / + 60 C	1,5 - 32 mBar	24 V. DC



## GV55K

### GAZ VALFİ CARTIER

Gas Valve CARTIER

Çift Bobinli Modülasyonlu  
(Modulated with Double Coil)

ECA CONFEO PLUS

ISI ARALIĞI (Temp. Range)	GAZ BASINÇ AYAR ARALIĞI (Gas Pressure Adjust. Range)	BOBİN VOLTAJI (Voltage for Coil)
0 / + 60 C	1,5 - 30 mBar	17 V. DC



## PE15

### PLAKA EŐANJÖR

Secondary Exchanger

VAILLANT VUV / PRO

12 PLAKA - 3 GEÇME + 1 DİŐLİ  
12 Plate - 3 Quick Coupling + 1 Threaded



## PE

### PLAKA EŐANJÖR

Secondary Exchanger

VAILLANT TURBOTEC

12 PLAKA - 4 DİŐ BAĐLANTILI  
12 Plate - 4 External Connection

PLAKA (Plate)  
12

PLAKA (Plate)  
16



## PE21

### PLAKA EŐANJÖR

Secondary Exchanger

BOSCH / BUDERUS  
VISSMANN

12 PLAKA - 3 DİŐ BAĐLANTILI  
12 Plate - 3 External Connection

PLAKA (Plate)  
12

PLAKA (Plate)  
24



## PE14

### PLAKA EŐANJÖR

Secondary Exchanger

VAILLANT VCK

12 PLAKA - 2x1/2" + 2x3/4" DİŐLİ  
12 Plate - 2 x G 1/2" + 2 x G 3/4"



## PE28Y

### PLAKA EŐANJÖR

Secondary Exchanger

VISSMANN VITOPEND

12 PLAKA - 4 DİŐ BAĐLANTILI  
12 Plate - 4 External Connection



## PE99S

### PLAKA EŐANJÖR

Secondary Exchanger

BAYMAK IDEE

12 PLAKA - 2 DİŐ BAĐLANTILI  
12 Plate - 2 External Connection



## PE40S


### PLAKA EŐANJÖR

Secondary Exchanger

BUDERUS GB 112

12 PLAKA - 4 DİŐ BAĐLANTILI  
12 Plate - 4 External Connection



**PE****PLAKA EŐANJÖR**  
Secondary Exchanger

PLAKA SAYISI (Plate Number)	BOY (Length)	DELİK EKSENİ (Hole Range)	PİM EKSENİ (mm) (Studbolt Range)	ÜST PLAKA* (Top Plate)*	UYGUN MARKA VE MODELLER (Available Models)	ÜRÜN KODU (Product Code)				
						SWEP	HRALE	ZILMET		
12	192 mm	154 mm	142 mm.	T / C	ARISTON CLAS/GENUS/MATIS	PE27S	PE27L	—		
16			142 mm.	T / C	ARISTON GENUS 32 -35	PE17S	PE17L	—		
12			148 mm.	T / C	ECA CALORA / CONFEO / PROTEUS ALARKO ESERENA / VISSMANN B - BERETTA	PE10S	PE10L	—		
12			148 mm.	D / F	ECA CALORA / CONFEO / PROTEUS ALARKO ESERENA	—	PE11L	PE11Z		
16			148 mm.	T / C	ECA CALORA / CONFEO / PROTEUS ALARKO ESERENA / TERMOTEKNIK / TERMOSLIM	PE12S	PE12L	—		
16			148 mm.	D / F	ECA CALORA / CONFEO / PROTEUS ALARKO ESERENA	—	PE13L	PE13Z		
12			152 mm.	T / C	IMMERGAS MINI EOLO	PE18S	—	—		
12			154 mm.	T / C	ALARKO YENİ SERENA - VISSMANN D -	PE14S	PE14L	PE14Z		
12			154 mm.	D / F	ALARKO YENİ SERENA - VISSMANN D ECA NOVASTAR	—	PE15L	PE15Z		
16			154 mm.	T / C	ALARKO YENİ SERENA	PE16S	PE16L	—		
12			160 mm.	T / C	AIRFELL DIGIFEL - TERMOTEKNIK LOG:C	PE19S	PE19L	—		
16			160 mm.	T / C	AIRFELL DIGIFEL - TERMOTEKNIK LOG:C	PE20S	PE20L	—		
16			160 mm.	D / F	AIRFELL DIGIFEL - TERMOTEKNIK LOG:C	—	PE21L	—		
12			210 mm	172 mm	166 mm.	T / C	D.DÖKÜM ADEN NEVA KALISTO / BAYKAN	PE24S	PE24L	—
12					166 mm.	D / F	D.DÖKÜM NEVA / NITRON / ATRON / ADEN	—	PE25L	PE25Z
16					166 mm.	T / C	FERROLI	—	PE26L	PE26Z
18	166 mm.	D / F			VISSMANN VITOPEND 200 APARAT (WITH APPARATUS)	—	PE28L	—		
12	172 mm.	T / C			D.DÖKÜM MILENIUM PLUS / VINTO	PE02S	PE02L	—		
16	178 mm.	T / C			BAXI / FALKE / LAMBERT / WESTEN PULSAR	PE04S	—	—		
12	157 mm.	D / F			BAYMAK LUNA - D.DÖKÜM İSOFASST KUMANDALI BUDERUS GB22	PE23S	PE23L	PE23Z		

\*T/ C TIRTIKLJ (CORRUGATED)  
D / F DÜZ (FLAT)

## FN01

FAN  
Blower

DEMİRDÖKÜM HK  
ALARKO SERENA

FN01S FN01F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	53 W	0 / +85 °C

## FN02

FAN  
Blower

VAILLANT VUV / PRO  
TURBOTEC

FN02S FN02F




MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Döküm Gövde (Die-Casted Aluminized Housing)	110 m <sup>3</sup> /h	60 W	0 / +85 °C

## FN03

FAN  
Blower

DEMİRDÖKÜM ADEN / KALİSTO /  
ATRON / NEVA / NITRON

FN03S FN03F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Döküm Gövde (Die-Casted Aluminized Housing)	110 m <sup>3</sup> /h	53 W	0 / +85 °C

## FN04

FAN  
Blower

ECA CALORA / CONFEO  
ARISTON TX/MICROTEC  
BAYKAN / AIRFEL  
IMMERGAS

FN04S FN04F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	60 W	0 / +85 °C

## FN05

FAN  
Blower

ECA PROTEUS

FN05S FN05F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Döküm Gövde (Die-Casted Aluminized Housing)	110 m <sup>3</sup> /h	60 W	0 / +85 °C

## FN15

FAN  
Blower

BOSCH EUROMAX  
ARISTON / PROTHERM

FN15S



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Döküm Gövde (Die-Cast Aluminized Housing)	110 m <sup>3</sup> /h	50 W	0 / +85 °C

## FN16

FAN  
Blower

BAXI / FALKE / LAMBERT

FN16S

FN16F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	53 W	0 / +85 °C


## FN17

FAN  
Blower

BOSCH CLASSIC  
BUDERUS

FN17S

FN17F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	53 W Saclı (Metal Plated)	0 / +85 °C

## FN18

FAN  
Blower

ECA EUROSTAR  
AIRFEL MINIMAX

FN18S

FN18F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	60 W Kare Ağız (Square Outlet)	0 / +85 °C

## FN19

FAN  
Blower

VAILLANT VCK

FN19S

FN19F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	60 W Kare Ağız (Square Outlet)	0 / +85 °C



## FN06

FAN  
Blower

AUER MICRA - SANICA

FN06S FN06F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	50 W	0 / +85 °C

## FN07

FAN  
Blower

FERROLİ DOMİNA

FN07S FN07F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	53 W	0 / +85 °C

## FN09

FAN  
Blower

ARISTON EGİS / CLAS/  
GENUS / MATIS

FN09S FN09F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Döküm Gövde (Die-Cast Aluminized Housing)	110 m <sup>3</sup> /h	35 W	0 / +85 °C

## FN10

FAN  
Blower

DEMİRDÖKÜM MİLENYUM / VİNTÖ

FN10S FN10F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Döküm Gövde (Die-Cast Aluminized Housing)	110 m <sup>3</sup> /h	50 W	0 / +85 °C

## FN13

FAN  
Blower

BAYMAK LUNA

FN13S FN13F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Aluminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	60 W Kare Ağız (Square Outlet)	0 / +85 °C

## FN20

FAN  
Blower

FERROLİ DOMİPROJECT

FN20S

FN20F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Alüminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	53 W Tırnaklı (Spiked)	0 / +85 °C

## FN21

FAN  
Blower

BOSCH CLASSIC PLUS

FN21S



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Alüminyum Döküm Gövde (Die-Casted Aluminized Housing)	110 m <sup>3</sup> /h	47 W Tırnaklı (Spiked)	0 / +85 °C

## FN22F

FAN  
Blower

VISSMANN

FN22S

FN22F



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Alüminyum Sac Gövde (Aluminized Metal Sheet Housing)	110 m <sup>3</sup> /h	53 W Saclı (Metal Plated)	0 / +85 °C

## FN23L

FAN  
Blower

FALKE - LAMBERT - AIRFEL



MALZEME (Material)	DEBİ (Air Flow)	GÜÇ (Power)	ISI ARALIĞI (Temperature Range)
Alüminyum Döküm Gövde (Die-Casted Aluminized Housing)	110 m <sup>3</sup> /h	37 W Tırnaklı (Spiked)	0 / +85 °C

## Z007S-Z008S

FAN  
Blower

TEKLİ / ÇİFTLİ  
Single / Double Outlet

Çap (Diameter) Ø 6.35 mm



## SP--W

### SİRKÜLASYON POMPASI

Circulation Pui



	SP01W	SP02W	SP03W	SP04W	SP05W	SP15W	SP16W	SP125
TİP (Type)	12 - 3	15 - 5	15 - 5	15 - 5	15 - 5	12 - 5	12 - 7	25 - 7
GÜÇ (Power)	60 W	84 W	84 W	84 W	84 W	57 W	118 W	125 W
BASMA YÜKSEKLİĞİ (Pump Head)	3 m.	5 m.	5 m.	5 m.	5 m.	5 m.	7 m.	7 m.
ÇARK ÇAPI (Propeller Diameter)	25 mm. Dar (Narrow)	33 mm. Geniş (Wide)	25 mm. Dar (Narrow)	25 mm. Dar (Narrow)	25 mm. Dar (Narrow)	33 mm. Geniş (Wide)	25 mm. Dar (Narrow)	33 mm. Geniş (Wide)
VOLTAJ - FREKANS (Voltage-frequency)	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.
SINIF - ELK.KORUMA (Class - Elec.Protection)	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar
	ÇEŞİTLİ MARKALAR VARIOUS MODELS	ÇEŞİTLİ MARKALAR VARIOUS MODELS	ÇEŞİTLİ MARKALAR VARIOUS MODELS	ECA CALORA CONFEO	PROTHERM	DOLCEVITA	ÇEŞİTLİ MARKALAR VARIOUS MODELS	ÇEŞİTLİ MARKALAR VARIOUS MODELS

## SP--G

### SİRKÜLASYON POMPASI

Circulation Pump



	SP01G	SP03G	SP04G	SP06G	SP12G	SP20G	SP20G
TİP (Type)	UPS 15-50	UPS15 -60	UPS 15-50	UPS 15-50	UPS 15-65	UPS15 -60	UPS15 -60
GÜÇ (Power)	75 W.	110 W.	75 W.	75 W.	120 W.	90	90
BASMA YÜKSEKLİĞİ (Pump Head)	5 m.	6 m.	5 m.	5 m.	6,5 m.	6 m.	6 m.
ÇARK ÇAPI (Propeller)	32 mm.	32 mm.	32 mm.	32 mm.	32 mm.	32 mm.	32 mm.
VOLTAJ - FREKANS (Voltage-frequency)	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.	230 V. 50 Hz.
SINIF - ELK.KORUMA (Class - Elec.Protection)	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44	CLASS H - IP 44
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar
	ÇEŞİTLİ MARKALAR VARIOUS MODELS	ÇEŞİTLİ MARKALAR VARIOUS MODELS	ECA PROTEUS CALORA	ADENKALISTO BAYMAK	ÇEŞİTLİ MARKALAR VARIOUS MODELS	AIRFEL	ALARKO YENİ SERENA

## SP14W

### SİRKÜLASYON POMPASI Circulation Pump

ARISTON CLAS - GENUS  
SOKET GİRİŞLİ  
(Inserted Socket Type)

TİP (Type)	12 - 5
GÜÇ (Power)	77 W
BASMA YÜKSEKLİĞİ (Pump Head)	5 m.
ÇARK ÇAPİ (Propeller Diameter)	25 mm. Dar (Narrow)
VOLTAJ - FREKANS (Voltage-frequency)	230 V. 50 Hz.
SINIF - ELK.KORUMA (Class - Elec.Protection)	CLASS H - IP 44
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 95 C 6 Bar



## SP22G

### SİRKÜLASYON POMPASI Circulation Pump

BOSCH | BUDERUS GB022  
VARIOUS BRANDS AND MODELS

TİP (Type)	15-70
GÜÇ (Power)	70 W.
BASMA YÜKSEKLİĞİ (Pump Head)	7 m.
VOLTAJ - FREKANS (Voltage-frequency)	230 V. 50 Hz.
SINIF - ELK.KORUMA (Class - Elec.Protection)	CLASS H - IP 42
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 95 C 6 Bar



## SP30G

### SİRKÜLASYON POMPASI Circulation Pump

BOSCH / BUDERUS VISSMANN  
SOKET GİRİŞLİ (INSERTED SOCKET TYPE)

TİP (Type)	15-75
GÜÇ (Power)	60 W.
BASMA YÜKSEKLİĞİ (Pump Head)	7.5 m.
VOLTAJ - FREKANS (Voltage-frequency)	230 V. 50 Hz.
SINIF - ELK.KORUMA (Class - Elec.Protection)	CLASS H - IP 44
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 95 C 6 Bar



## POMPA ROTORLARI (SALYANGOZSUZ) / PUMP ROTORS (WITHOUT COVER)

## SPM-W

### SİRKÜLASYON POMPA ROTORU Circulation Pump Rotor

	SPM1W	SPM2W
TİP (Type)	15 - 50	15 - 50
GÜÇ (Power)	84 W	84 W
BASMA YÜKSEKLİĞİ (Pump Head)	5 m.	5 m.
ÇARK ÇAPİ (Propeller Diameter)	25 mm. Dar (Narrow)	33 mm. Geniş (Wide)
VOLTAJ - FREKANS (Voltage-frequency)	230 V. 50 Hz.	230 V. 50 Hz.
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 95 C 6 Bar	-10 + 95 C 6 Bar



## SPM-G

### SİRKÜLASYON POMPA ROTORU Circulation Pump Rotor

	SPM1G
TİP (Type)	15 - 50
GÜÇ (Power)	84 W
BASMA YÜKSEKLİĞİ (Pump Head)	5 m.
ÇARK ÇAPİ (Propeller Diameter)	32 mm.
VOLTAJ - FREKANS (Voltage-frequency)	230 V. 50 Hz.
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 95 C 6 Bar



## SP--W YP

**SİRKÜLASYON POMPASI  
ENERJİ TASARRUFLU**  
Circulation Pump Energy Saving

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



	SP30WYP YONOS PARA	SP40WYP YONOS PARA
TIP (Type)	12 - 6	25 - 6
GÜÇ (Power)	3 - 45 W.	4 - 75 W.
BASMA YÜKSEKLİĞİ (Pump Head)	6.5 m.	6.2 m.
ÇARK ÇAPİ (Propeller Diameter)	25 mm. Dar (Narrow)	25 mm. Dar (Narrow)
VOLTAJ - FREKANS (Voltage-Frequency)	230 V. 50/60 Hz.	230 V. 50/60 Hz.
DEVİR (Rotation)	800-4.300 rpm.	800-4.700 rpm.
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-10 + 110 C 6 Bar	-10 + 95 C 6 Bar

## SP--G YP

**SİRKÜLASYON POMPASI  
ENERJİ TASARRUFLU**  
Circulation Pump Energy Saving

ÇEŞİTLİ MARKA VE MODELLER  
VARIOUS BRANDS AND MODELS



	ALPHA 2
TIP (Type)	15 - 60
GÜÇ (Power)	5 - 45 W.
BASMA YÜKSEKLİĞİ (Pump Head)	6 m.
ÇARK ÇAPİ (Propeller Diameter)	32 mm.
VOLTAJ - FREKANS (Voltage-Frequency)	230 V. 50/60 Hz.
ÇALIŞMA ARALIĞI - BASINÇ (Working Temp.-Pressure)	-2 + 110 C 6 Bar

## POMPA KAPAKLARI (SALYANGOZLAR) / PUMP SCROLL CASES

### SPS1G

**POMPA SALYANGOZU**  
Pump Scroll Case

ECA CALORA / PROTEUS  
SANICA



### SPS4W

**POMPA SALYANGOZU**  
Pump Scroll Case

ECA CALORA  
SANICA



### SPS2G

**POMPA SALYANGOZU**  
Pump Scroll Case

D.DÖKÜM ADEN / KALİSTO



### SPS7W

**POMPA SALYANGOZU**  
Pump Scroll Case

BAYKAN  
ECO 5



## SPS8G

POMPA SALYANGOZU  
Pump Scroll Case

LAMBERT



## SPS8W

POMPA SALYANGOZU  
Pump Scroll Case

DOLCEVITA



## SPS9G

POMPA SALYANGOZU  
Pump Scroll Case

BOSCH



## SPS9W

POMPA SALYANGOZU  
Pump Scroll Case

BOSCH CONDENSE 2000W  
VISSMANN



## SPS10G

POMPA SALYANGOZU  
Pump Scroll Case

AIRFEL



## SPS10W

POMPA SALYANGOZU  
Pump Scroll Case

ARISTON EGIS - CLAS - GENUS



## SPS11G

POMPA SALYANGOZU  
Pump Scroll Case

BAYMAK IDEE



## SPS11W

POMPA SALYANGOZU  
Pump Scroll Case

VAILLANT TURBOTEC



## SPS12G

POMPA SALYANGOZU  
Pump Scroll Case

D. DÖKÜM NITRON  
PROTHERM



## SPS12W

POMPA SALYANGOZU  
Pump Scroll Case

PROTHERM



## SPS13G

POMPA SALYANGOZU  
Pump Scroll Case

ALARKO YENİ SERENA



## SPS13W

POMPA SALYANGOZU  
Pump Scroll Case

BOSCH / BUDERUS



**GT****GENLEŞME TANKI 3/8"**  
Expansion Vessel G 3/8"

ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	ÇAP (Diameter)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT30M		6 Lt.	392 mm.	61 mm.	- 10 + 90°C	1.2 Bar	G 3/8"	DEMİRDÖKÜM MİLENYUM/VİNTO
GT21Z		6 Lt.	392 mm.	61 mm.	Max. 90°C	1.2 Bar	G 3/8"	ARISTON TX/EGİS/CLAS/MATİS
GT38C		6 Lt.	397 mm.	82 mm.	- 10 + 90°C	1.5 Bar	G 3/8"	DEMİRDÖKÜM ADEN/ KALİSTO
GT39C		7 Lt.	387 mm.	93 mm.	- 10 + 90°C	1.5 Bar	G 3/8"	BAYKAN / SÜSLER / ALARKO
GT52C		8 Lt.	389 mm.	76 mm.	- 10 + 90°C	1.5 Bar	G 3/8"	ÇEŞİTLİ MARKALAR (VARIOUS MODELS)

**GT****GENLEŞME TANKI 1/2"**  
Expansion Vessel G 1/2"

ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	ÇAP (Diameter)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT48C		7 Lt.	387 mm.	93 mm.	- 10 + 90°C	1.2 Bar	G 1/2"	ECA CALORA/CONFEO/PROTEUS
GT48M		8 Lt.	392 mm.	81 mm.	Max. 90°C	1.2 Bar	G 1/2"	BOSCH - BUDERUS

## GT

### GENLEŞME TANKI M 14x1 Expansion Vessel M 14x1



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	ÇAP (Diameter)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT46C		8 Lt.	389 mm.	93 mm.	-10 + 90°C	1 + ½20 Bar	M 14 x 1	BAYMAK LUNA - WOLF - NECTRA
GT46M		6 Lt.	392 mm.	61 mm.	-10 + 90°C	1 + ½20 Bar	M 14 x 1	BAXI - LAMBERT - FALKE
GT27Z		6 Lt.	392 mm.	61 mm.	Max. 90°C	1 + ½20 Bar	M 14 x 1	BAXI - LAMBERT - FALKE

## GT

### GENLEŞME TANKI VAILLANT Expansion Vessel VAILLANT



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	ÇAP (Diameter)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT19C		5 Lt.	387 mm.	86 mm.	-10 + 90°C	1 + ½20 Bar	G 3/8 " Uzun(Long)	VAILLANT VCK / VUW / PRO
GT21M		6 Lt.	392 mm.	61 mm.	-10 + 90°C	1 + ½20 Bar	G 3/8 " Uzun(Long)	VAILLANT VCK / VUW / PRO
GT20Z		6 Lt.	392 mm.	61 mm.	Max. 90°C	1 + ½20 Bar	G 3/8 " Uzun(Long)	VAILLANT VCK / VUW / PRO
GT41C		7 Lt.	387 mm.	93 mm.	-10 + 90°C	1 + ½20 Bar	G 3/8 " Uzun(Long)	VAILLANT VCK / VUW / PRO

## GT47

### GENLEŞME TANKI 1/2" Expansion Vessel G 1/2"



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	ÇAP (Diameter)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT47C		7 Lt.	387 mm.	93 mm.	-10 + 90°C	1 + ½20 Bar	G 1/2"	ECA CALORA/CONFEO/PROTEUS
GT48Z		8 Lt.	392 mm.	81 mm.	Max. 90°C	1 + ½20 Bar	G 1/2"	BOSCH - BUDERUS

## GT20M

### GENLEŞME TANKI BUDERUS GB022 Expansion Vessel BUDERUS GB022



ÜRETİCİ (Manufacturer)	BOYUTLAR (Dimensions)	KAPASİTE (Capacity)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
	Fi 392 mm. 80 mm.	8 Lt.	+ 90°C	1 Bar	1/2 Gecme (Quick Coupling) 120 Derece Açılı (angled)	BUDERUS GB022



## GT

### GENLEŞME TANKI FERROLI Expansion Vessel FERROLI



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT42C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8"	DOMIPROJECT / COMPACT
GT23Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8"	DOMIPROJECT / COMPACT

## GT44

### GENLEŞME TANKI ARISTON Expansion Vessel ARISTON



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT44C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8" Sırt (Back)	UNO
GT44Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8" Sırt (Back)	UNO

## GT45


### GENLEŞME TANKI IMMERGAS Expansion Vessel IMMERGAS



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT45C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8"	MINI / STAR 24 3 E
GT45Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8"	MINI / STAR 24 3 E

## GT

### GENLEŞME TANKI Expansion Vessel



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT23C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8"	DEMİRDÖKÜM NEVA/NITRON - FELLINI
GT23Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8"	DEMİRDÖKÜM NEVA/NITRON - FELLINI

## GT

### GENLEŞME TANKI FERROLI Expansion Vessel FERROLI



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT42C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8"	DOMIPROJECT / COMPACT
GT23Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8"	DOMIPROJECT / COMPACT

## GT44

### GENLEŞME TANKI ARISTON Expansion Vessel ARISTON



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT44C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8" Sırt (Back)	UNO
GT44Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8" Sırt (Back)	UNO

## GT45


### GENLEŞME TANKI IMMERGAS Expansion Vessel IMMERGAS



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT45C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8"	MINI / STAR 24 3 E
GT45Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8"	MINI / STAR 24 3 E

## GT

### GENLEŞME TANKI Expansion Vessel



ÜRÜN KODU (Code)	ÜRETİCİ (Manufacturer)	KAPASİTE (Capacity)	BOY-GENİSLİK (Length - Width)	YÜKSEKLİK (Height)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
GT23C		7 Lt.	493 x 203 mm.	63 mm.	- 10 + 90°C	1 +-%20 Bar	G 3/8"	DEMİRDÖKÜM NEVA/NITRON - FELLINI
GT23Z		8 Lt.	561 x 203 mm.	80 mm.	Max. 90°C	1 +-%20 Bar	G 3/8"	DEMİRDÖKÜM NEVA/NITRON - FELLINI

## GT22M

### GENLEŞME TANKI TURBOTEC Expansion Vessel TURBOTEC



ÜRETİCİ (Manufacturer)	BOYUTLAR (Dimensions)	KAPASİTE (Capacity)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
	250 x 438 x 86 mm.	8 Lt.	+ 90°C	1,5 Bar	G 3/8 "	VAILLANT TURBOTEC

## GT25M

### GENLEŞME TANKI Expansion Vessel



ÜRETİCİ (Manufacturer)	BOYUTLAR (Dimensions)	KAPASİTE (Capacity)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
	350 x 440 x 98 mm.	12 Lt.	+ 90°C	1,5 Bar	G 3/8 "	DEMİRDÖKÜM THEMAFAST

## GT27M

### GENLEŞME TANKI NOVADENS Expansion Vessel NOVADENS



ÜRETİCİ (Manufacturer)	BOYUTLAR (Dimensions)	KAPASİTE (Capacity)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
	250 x 438 x 86 mm.	8 Lt.	+ 90°C	1 Bar	M 14 x 1	BAYMAK NOVADENS

## GT52C

### GENLEŞME TANKI VISSMANN Expansion Vessel VISSMANN



ÜRETİCİ (Manufacturer)	BOYUTLAR (Dimensions)	KAPASİTE (Capacity)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
	260 x 438 x 86 mm.	8 Lt.	-10 + 90°C	1,2 Bar	G 1/32 "	VISSMANN VITOPEND 100

## GT70W

### GENLEŞME TANKI VISSMANN Expansion Vessel VISSMANN



ÜRETİCİ (Manufacturer)	BOYUTLAR (Dimensions)	KAPASİTE (Capacity)	ISI ARALIĞI (Temp. Range)	ÖN YÜKLEME (Pre-Charge)	BAĞLANTI (Connection)	UYUM (Compatible)
	Fi 392 mm. x 72 mm.	6 Lt.	+ 90°C	0,75 Bar	G 3/8 "	VISSMANN

## N301Y

### DALDIRMA TİP NTC SENSÖR

*Immerse Type Ntc Sensor*

BAYMAK



## N302Y

### DALDIRMA TİP NTC SENSÖR

*Immerse Type Ntc Sensor*

BAYMAK / D.DÖKÜM SARGON



## N040B

### DALDIRMA TİP NTC SENSÖR

*Immerse Type Ntc Sensor*

BOSCH / VISSMANN



## ABT20

### TRANSDUCER

*Transducer*

VISSMANN



## EL05B

### ÖN ISITICI ELEKTROD

*Heater Electrode*

BUDERUS



## FY10N

### FAN

*Fan Assembly*

BAYMAK



## FY11E

### FAN

*Fan Assembly*

AIRFEL / ECA / BOSCH



## FY12E

### FAN

*Fan Assembly*

VAILLANT



## GVY01H

GAZ VALFİ  
Gas Valve

VAILLANT



## GVY02H

GAZ VALFİ  
Gas Valve

BAYMAK  
D.DÖKÜM SARGON



## GVY01S

GAZ VALFİ  
Gas Valve

BAYMAK



## GVY11H

GAZ VALFİ  
Gas Valve

ECA PREMIX



## YE10V

YOĞUŞMA EŞANJÖRÜ  
Secondary Condensing  
Exchanger

BAYMAK



## YE11V

YOĞUŞMA EŞANJÖRÜ  
Secondary Condensing  
Exchanger

ECA PREMIX



## AE22L

### BİTERMİK ANA EŞANJÖR Bithermic Main Heat Exchanger


AE22L BAYMAK MAIN	
L - UZUNLUK (L - Length)	270 mm
BAĞLANTI (Connection)	4 x 3/4" GEÇME (QUICK COUPLING)



## AE24L-AE25L-AE26L

### BİTERMİK ANA EŞANJÖR Bithermic Main Heat Exchanger


	AE24L FERROLI DOMIPROJECT	AE25L ARISTON EGIS IMMERGAS STAR 24 3E	AE26L AIRFEL ECOFEL
L - UZUNLUK (L - Length)	220 mm	220 mm	260 mm
BAĞLANTI (Connection)	2x3/4" - 2x1/2" GEÇME (QUICK COUPLING)	2x3/4" - 2x1/2" GEÇME (QUICK COUPLING)	2x1/2" - 2x3/4" GEÇME (QUICK COUPLING)
BAĞLANTI (Connection)	0 mm	5 mm	0 mm



## AE57V

### BİTERMİK ANA EŞANJÖR Bithermic Main Heat Exchanger


AE57V FERROLI DOMITEC DOMIPROJECT D	
L - UZUNLUK (L - Length)	220 mm
BAĞLANTI (Connection)	2 x 1/2" - 2 x 3/4" ÇAPRAZ / GEÇME (CROSS / QUICK COUPLING)



## AE58V

### BİTERMİK ANA EŞANJÖR Bithermic Main Heat Exchanger

AE58V DEMİRDÖKÜM NEPTO FERROLI DOMITEC	
L - UZUNLUK (L - Length)	220 mm
BAĞLANTI (Connection)	2 x 1/2" - 2 x 3/4" ÇAPRAZ / GEÇME (CROSS / QUICK COUPLING)




## AE11L - AE12L

### BİTERMİK ANA EŞANJÖR

Bithermic Main Heat Exchanger

	AE11L PROTHERM LEOPARD	AE12L THERMOSTAR ARÇELİK/SUSLER
L - UZUNLUK (L - Length)	270 mm	290 mm
BAĞLANTI (Connection)	2xG 3/4" - 2xG 1/2" (APRAZ ( CROSS ))	2x3/4" G - 2x1/2" G (APRAZ (CROSS))





## AE13L - AE14L

### BİTERMİK ANA EŞANJÖR

Bithermic Main Heat Exchanger

	AE13L DEMİRDÖKÜM TAYROS	AE14L ECA CALORA BUDERUS
L - UZUNLUK (L - Length)	270 mm	290 mm
BAĞLANTI (Connection)	2x3/4" (APRAZ/GEÇME (CROSS/QUICKCOUPLING)) 2xG 1/2" (APRAZ (CROSS))	2x3/4" (APRAZ/GEÇME (CROSS/QUICKCOUPLING)) 2xG 1/2" (APRAZ (CROSS))




## AE15L - AE16L

### BİTERMİK ANA EŞANJÖR

Bithermic Main Heat Exchanger

	AE15L BOSCH/BUDERUS	AE16L ECA EUROSTAR
L - UZUNLUK (L - Length)	270 mm	350 mm
BAĞLANTI (Connection)	2xG 3/4" - 2xG 1/2"	2xG 3/4" - 2xG 1/2"



## AE20L - AE23L

### BİTERMİK ANA EŞANJÖR

Bithermic Main Heat Exchanger

	AE23L ARISTON MICROTEC TX	AE20L ECA CALORA BUDERUS DELTA
L - UZUNLUK (L - Length)	270 mm	290 mm
BAĞLANTI (Connection)	2xG 3/4" - 2xG 1/2"	2xG 3/4" - 2xG 1/2"

